





## Naizmenični otvori





B - širina materijala  
L - dužina materijala  
t1, t2 - korak perforacije  
b - širina otvora  
l - dužina otvora  
c - most  
M1, M2 - margina  
Fo - propusna moć (%)

$$Fo = \frac{b \times l}{t1 \times t2} \times 100 = (\%)$$






B - širina materijala  
L - dužina materijala  
t1, t2 - korak perforacije  
b - širina otvora  
l - dužina otvora  
c - most  
M1, M2 - margina  
Fo - propusna moć (%)

$$Fo = \frac{b \times l}{t1 \times t2} \times 100 = (\%)$$





B - širina materijala  
L - dužina materijala  
t1, t2 - korak perforacije  
b - širina otvora  
l - dužina otvora  
c - most  
M1, M2 - margina  
Fo - propusna moć (%)

$$Fo = \frac{b \times l}{t1 \times t2} \times 100 = (\%)$$





B - širina materijala  
L - dužina materijala  
t1, t2 - korak perforacije  
b - širina otvora  
l - dužina otvora  
c - most  
M1, M2 - margina  
Fo - propusna moć (%)

$$Fo = \frac{b \times l}{t1 \times t2} \times 100 = (\%)$$




B - širina materijala  
L - dužina materijala  
t1, t2 - korak perforacije  
b - širina otvora  
l - dužina otvora  
c - most  
M1, M2 - margina  
Fo - propusna moć (%)

$$Fo = \frac{b \times l}{t1 \times t2} \times 100 = (\%)$$





B - širina materijala  
L - dužina materijala  
t1, t2 - korak perforacije  
b - širina otvora  
l - dužina otvora  
c - most  
M1, M2 - margina  
Fo - propusna moć (%)

$$Fo = \frac{b \times l}{t1 \times t2} \times 100 = (\%)$$





## Paralelni otvori





B - širina materijala  
L - dužina materijala  
t1, t2 - korak perforacije  
b - širina otvora  
l - dužina otvora  
c - most  
M1, M2 - margina  
Fo - propusna moć (%)

$$Fo = \frac{b \times l}{t1 \times t2} \times 100 = (\%)$$



B - širina materijala  
L - dužina materijala  
t1, t2 - korak perforacije  
b - širina otvora  
l - dužina otvora  
c - most  
M1, M2 - margina  
Fo - propusna moć (%)

$$Fo = \frac{b \times l}{t1 \times t2} \times 100 = (\%)$$



B - širina materijala  
L - dužina materijala  
t1, t2 - korak perforacije  
b - širina otvora  
l - dužina otvora  
c - most  
M1, M2 - margina  
Fo - propusna moć (%)

$$Fo = \frac{b \times l}{t1 \times t2} \times 100 = (\%)$$